Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	xml with object same (delet$3 remov$3 destroy$3 destruct$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:00
L2	4	1 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
L3	107	xml same (delet$3 remov$3 destroy$3 destruct$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:00
L4	2	xml same (delet$3 remov$3 destroy$3 destruct$3) near2 object same (shutdown terminat$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:01
L5	12	xml and (delet$3 remov$3 destroy$3 destruct$3) near object same (shutdown terminat$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
L6	0	5 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:33
L7	69	(delet$3 remov$3 destroy$3 destruct$3) near object same (shutdown terminat$3 near access$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:29
L8	31	7 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:04
L9	4	(client user) with (log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up) near3 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:33
L10	117	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up) near3 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:54
L11	70	10 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:06

L33	9	("5577251" | "6044409" | "6157961" | "6175864" | "6189048" | "6249803" | "6253256" | "6260078" | "6272557").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:53
L34	418	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up) near3 (object module component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:55
L35	419	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:55
L36	15	(user client) with (log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:05
L37	419	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:19
L38	152	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:15
L40	99	38 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:22
L41	1	(logout log$out) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:14
L42	6	(logout log$out) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:17
L43	0	(sign$out) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:17
L44	6	(logout log$out) with (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:14
L45	18	("5991823").URPN.	USPAT	OR	ON	2005/04/27 16:17
L46	1267	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down log adj out log$out) same (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:20

L47	1293	(log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down log adj out log$out end adj access end adj session) same (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:21
L48	45	(user client) near3 (log$off log adj off sign$off sign adj off terminat$3 near access$3 shutdown shut$4 adj down log adj out log$out end adj access end adj session) same (delet$3 remov$3 destroy$3 destruct$3 clean$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:21
L49	23	48 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:22